

IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Hiroyuki KOBAYASHI et al. Confirmation No. : 5185
Appl. No. : 10/623,643 Examiner : B. M. FLANAGAN
Filed : July 22, 2003 Group Art Unit : 3739
For : CAPSULE ENDOSCOPE GUIDANCE SYSTEM, CAPSULE
ENDOSCOPE HOLDER, AND CAPSULE ENDOSCOPE

COMPLETION OF RECORD

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop AMENDMENT
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir :

On July 14, 2005, Applicants filed a Supplemental Information Disclosure Statement in the above-captioned application. In the Information Disclosure Statement, Applicants brought to the Examiner's attention the following documents:

German Patent Publication No. DE 29 29 429; and

U.S. Patent No. 4,491,865.


With the above-noted Information Disclosure Statement, Applicants also submitted a Form PTO-1449. However, the Form PTO-1449 listed the above-noted documents erroneously. In particular, DANNA et al. was erroneously cited on the PTO-1449 form as U.S. Patent No. 4,419,865 instead of U.S. Patent No. 4,491,865. Further, German Patent Publication No. DE 29 29 429, was erroneously cited on the PTO-1449 Form as DE 26 29 429.

To complete the record, Applicants assume that despite these typographical errors, these documents (i.e. U.S. Patent No. 4,491,865 to DANNA et al., and German Patent Publication No. DE 29 29 429) were considered by the Examiner during consideration of the underlying document.

Applicants have listed the above-noted documents on the attached PTO-1449 Form, and respectfully request that the Examiner initial the appropriate spaces on the attached Form and return a copy of the completed Form to the Applicants to confirm consideration of the underlying documents.

Should the Examiner have any questions, the Examiner is invited to contact the undersigned at the below-listed telephone number.

Respectfully Submitted,
Hiroyuki KOBAYASHI et al.



Bruce H. Bernstein
Reg. No. 29,027

William Pieprz
Reg. No. 33,630

September 26, 2005
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

Application No.
10/623,643

(Use several sheets if necessary)

Group
5185

[illegible]

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO | |
|--|--|-----------------|----------|---------|-------|----------|--|--|
| | | 2 9 2 9 4 2 9 | 02/07/80 | GERMAN | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.